

QVA
N539n
1880

NEW YORK DISPENSARY

NOMENCLATURE
AND
PHARMACOPOEIA

QVA N539n 1880

61860090R



NLM 05075760 ?

NATIONAL LIBRARY OF MEDICINE

NOMENCLATURE
AND
PHARMACOPŒIA
OF THE
✓
NEW YORK DISPENSARY.

QVA

N539.v1

1880

NATIONAL LIBRARY OF MEDICINE
BETHESDA 14, MD.

LIST OF DISEASES.*

4. Abortion.
1. Abscess.
- 1. " alveolar.
 - 1. " fœcal.
 - 1. " ischio-rectal.
 - 1. " lachrymal.
 - 1. " lumbar.
 - 1,4. " of brain.
 - 1. " " breast.
 - 1. " " bone.
 - 1. " " bursa.
 - 4. " " liver.
 - 2. " " lung.
 - 1. " " meatus auditorius.
 - 2. " " mediastinum. .
 - 3. " " prostate.
 - 1,3. " " testis.
 - 1,3. " " vulva.

* This list is thought to embrace every disease and injury likely to be presented for treatment at the Dispensary, but any case for which it does not give a name may be returned under the name given in the nomenclature of the Royal College of Physicians, a copy of which will be found in the House Physician's room. The numerals at the left-hand side of the page denote the classes to which the various diseases may properly be long—thus, 1 means *Surgery*; 2, *Heart and Lungs*; 3, *Veneral and Cutaneous Diseases*; 4, *Head and Abdomen and Diseases of Women*; 5, *Children and Unclassified*.

- 1,4. Abscess, pelvic.
 - 1. " pharyngeal.
 - 1. " psoas.
 - 1. " sub-fascial.
 - 4. " sub-peritoneal.
 - 1. " thecal.
- 1,3. " urinary.
 - 1. Aene ciliaris.
 - 3. " simplex.
 - 3. " rosacea.
- 4. Addison's disease.
- 4. Adhesion, peritoneal.
 - 1. " thecal.
- 4. Agalactia.
- 5. Alcoholism.
- 1. Amaurosis.
- 1. Amblyopia.
- 4. Amenorrhœa.
- 5. Anæmia.
- 1,5. Anæsthesia of a part.
 - 5. Anasarca.
- 1,5. Anchyloglossum (olophonia).
 - 1. Anchylosis.
- 1,2,4. Aneurism.
 - 2. " of aorta.
 - 1. " traumatic.
 - 1. " varicose.
- 2. Angina pectoris.
- 1,5. " trachealis.
 - 1. Anthrax.

1. Aphonia.
5. Aphæ parasiticæ.
4. Apoplexy.
1. Arthritis.
1. " suppurative.
4. Ascites.
2. Asphyxia.
1. Asthenopia.
2. Asthma.
1. Astigmatism.
5. Ataxia, progressive locomotor.
5. Atelecetasis.
5. Atrophy, progressive museular.
1. Avulsion of a part.

3. Balanitis.
3. Balano-posthitis.
- 4,5. Bile-duct, catarrh of.
- 4,5. " stricture of.
3. Bladder, catarrh of.
1. " inversion of.
3. " irritable.
- 3,5. " paralysis of.
3. Bleorrhagia.
3. Bleorrhœa.
- 1,5. Blepharitis.
- 1,5. Brain, compression of.
- 1,5. " concussion of.
- 1,5. " injury of.
4. " softening of.

- 4. Bright's disease.
- 4,5. " " acnte.
- 2,5. Bronchitis, acute.
- 2,5. " capillary.
- 2,5. " chronic.
- 2,5. " morbillosa.
- 1. Bronchocele.
- 2. " exophthalmic.
- 1. Bursa, enlarged.
- 1. Byrsitis.
- 4. Calculus, biliary.
- 1. " prostatic.
- 4. " renal.
- 1. " salivary.
- 1. " urethral.
- 1. " vesical.
- 1. Cancer.
- 4. " colloid.
- 1. " epithelial.
- 1. " medullary.
- 1. " melanotic.
- 1. " of breast.
- 4. " of stomach.
- 1. " of testis.
- 4. " of uterus.
- 1. " osteoid.
- 1. " scirrhus.
- 4. " villous.
- 1. Caries.

- 1. Cartilage, loose.
- 1. Cataract.
- 4. Catarrh, acute uterine.
- 2. " bronchial.
- 1. " chronic nasal.
- 4. " chronic uterine.
- 1. " laryngeal.
- 1. Cellulitis.
- 1. " erysipeloid.
- 4. " pelvic.
- 1,5. Cephalæmatoma.
- 1. Cerumen, retained.
- 3. Chaneroid.
- 3. " phagedenic.
- 3. " serpiginous.
- 3. " sloughing.
- 4. Chlorosis.
- 4. Cholera Asiatica.
- 5. " infantum.
- 4. " simplex (cholera morbus.)
- 5. Chorea, acute.
- 5. " chronic.
- 1. Choroiditis.
- 4. Cirrhosis.
- 1,4. Coccyodynia.
- 3. Colpitis.
- 3. Condyloma.
- 4. Constipation.
- 1. Constriction of a part.
- 1. Contracted fascia.

- 1,5. Contracted muscle.
 - 1. " tendon.
- 1. Contusion.
- 1. Cornea cacuminata.
- 1. Coryza.
- 5. Cyanosis.
- 1,5. Cynanche maligna (angina putris.)
 - 5. " parotidea.
- 1,5. " tonsillaris.
- 5. " trachealis.
- 1. Cystitis, acute.
- 1,3. " blennorrhagic.
- 1,3. " chronic.
 - 1. Cystoccle.
- 1. Dacryoadenitis.
- 1. Dacryocystitis.
- 5. Debility.
- 5. Delirium tremens.
- 5. Dentition.
- 3. Dermatitis, crysipeloid.
- 3. " toxica.
- 5. Diabetes.
- 4. Diarrhœa.
- 1. Diastasis.
- 5. Diphtheria.
- 1. Diplopia.
- 1. Dislocation at elbow.
 - " at hip.
 - " at knee.

1. Dislocation at shoulder.
 - “ at wrist.
 - “ of acromial end of clavicle.
 - “ of astragalus.
 - “ of costal cartilage.
 - “ of foot at ankle.
 - “ of head of fibula.
 - “ of lower jaw.
 - “ of manubrium.
 - “ of os calcis.
 - “ of patella.
 - “ of phalanx.
 - “ of sternal end of clavicle.
 - “ of vertebra.
5. Diuresis (Diabetes insipidus.)
 1. Dolor faucium.
- 1,4. Dropsy, ovarian.
4. Duodenitis.
5. Durities gingivarum.
4. Dysentery.
 4. “ chronic.
4. Dysmenorrhœa.
4. Dyspepsia, acuta.
4. “ chronic.
- 3,4,5. Dysuria.
 5. Eclampsia.
 5. “ infantum.
 6. “ nutans.
 4. “ puerperal.
- 1,3. Ecchymosis.

3. Ecthyma.

1. Ectopia lentis.

3. Ectozoa.

(Pediculus capitis.)

(" vestimenti.)

(Phthirius inguinalis.)

1. Ectropion.

3. Eczema.

" capitis.

" chronic.

" circinatum.

" faciei.

" impetiginodes.

" rubrum.

" squamosum.

3. Elephantiasis Græcorum.

4. Embolism.

1. Emmetropia.

2. Emphysema, interlobular.

1. " of cellular tissue.

2. " vesicular.

2. Empyema.

4. Encephalitis.

1. Encephalocele (hernia cerebri.)

2. Endocarditis.

4. Endometritis.

" acute.

" chronic cervical.

" " corporeal.

4. Enteralgia.

4. Enteritis.
4. Entozoa.
- (Ascaris lumbricoides.)
- (Bothriocephalus latus.)
- (Oxyuris vermicularis.)
- (Tænia solium.)
5. (Trichina spiralis.)
1. Entropion.
3. Ephelis.
5. Ephemera.
4. " puerperal.
1. Epicanthis.
3. Epididymitis.
5. Epilepsy.
1. Epispadias.
5. Epistaxis.
1. Epulis.
3. Erysipelas of Face.
1. " phlegmonous.
3. Erythema.
- " circinatum.
- " nodosum.
5. Febricula.
5. Fever.
- " infantile remittent.
- " intermittent.
- " puerperal.
- " relapsing.
- " remittent.

5. Fever, scarlet, simple.
- “ “ anginose.
 - “ “ malignant.
 - “ typhoid.
 - “ typhus.
 - “ yellow.
1. Fissure of anus.
1. “ of palate.
1. Fistula, abdominal.
1. “ in ano.
1. “ lachrymalis.
1. “ lymphalis.
1. “ salivary.
- 1,3. “ urinary.
1. “ vaginal.
1. Flexure of bone.
1. Foreign body in air-passages.
- “ “ “ ear.
 - “ “ “ eye.
 - “ “ “ nose.
 - “ “ “ œsophagus.
 - “ “ “ pharynx.
 - “ “ “ rectum.
 - “ “ “ soft parts.
 - “ “ “ urethra.
 - “ “ “ vagina.
1. Fracture of acromion.
- “ “ carpus.
 - “ “ cervix femoris.
 - “ “ clavicle.

1. Fracture of coccyx.

- “ “ cranium.
- “ “ fibula.
- “ “ costal cartilage.
- “ “ inferior maxilla.
- “ “ malar bone.
- “ “ metacarpus.
- “ “ metatarsus.
- “ “ olecranon.
- “ “ os brachii.
- “ “ os femoris.
- “ “ os nasi.
- “ “ patella.
- “ “ pelvis.
- “ “ phalanx.
- “ “ radius.
- “ “ “ and ulna.
- “ “ rib.
- “ “ scapula.
- “ “ spine.
- “ “ sternum.
- “ “ superior maxilla.
- “ “ tarsus.
- “ “ tibia.
- “ “ “ and fibula.
- “ “ ulna.

1. Furunculus.

1. Ganglion.

1,5. Gangrene.

- 1. Gangrene, traumatic.
- 4. Gastritis, acute.
- 4. " chronic.
- 1. Gelatio.
- 1. Genu-valgum.
- 1. Gland, enlarged lymphatic.
- 1. Glaucoma.
- 1. Glossitis.
- 5. Gout.
- 5. " rheumatic.
- 1. Gravedo.
- 2. Graves' disease.
- 4. Graviditas.
- 3. Gumma, syphilitic.

- 4. Hæmatemesis.
- 1. Hæmatocele.
- 4. " periuterine.
- 1. " traumatic.
- 1. Hæmatoma.
- 3. Hæmaturia.
- 2. Hæmoptysis.
- 1. Hæmorrhage.
- 4. " climacteric.
- 5. " from umbilicus.
- 4,5. " intestinal.
- 4. " post partum.
- 1. " traumatic.
- 1,3. " urethral.
- 4. " uterine.

1. Hæmorrhoids.

1,5. Hare-lip.

2. Heart, aneurism of.

2,5. " dilatation of.

2,5. " disease of.

2,5. " enlargement of.

2,5. " fatty disease of.

2,5. " functional disease of.

2,5. " hypertrophy of.

2,5. " malformation of.

2,5. " valve-disease of.

1. Hemeralopia.

4. Hepatitis.

1. Hernia.

" congenital.

" femoral.

" infantile.

" inguinal.

" irreducible.

" pudendal.

" strangulated.

" umbilical.

" vaginal.

3. Herpes.

3. " circinatus.

1. " conjunctivæ.

1. " corneæ.

3. " labialis.

3. " præputialis.

3. " zoster.

- 1. Hordeolum.
- 1,2,4,5. Hydatids.
 - 1. Hydrocele.
 - “ congenital.
 - “ encysted.
 - “ of cord.
 - 5. Hydrocephalus (chronic.)
 - 4. Hydrometra.
 - 1. Hydrops articuli.
 - 2. “ pericardii.
 - 4. “ ovarii.
 - 4. “ renum.
 - 1. Hydrosarcocele.
 - 2. Hydrothorax.
- 1,5. Hyperæsthesia of a part.
 - 5. Hypochondriasis.
 - 1. Hypopion.
 - 1. Hypospadias.
 - 5. Hysteria.
 - 4. Icterus.
 - 3. Icthyosis.
 - 4. Ileus.
 - 3. Impetigo.
 - 2. Influenza.
 - “ contagious.
 - 1. Injury of a part.
 - 5. Insanity.
 - 5. Insolation.
 - 1. Iritis.
 - 3. “ syphilitic.

1. Irritable stump.

3. Keloid, cicatricial.
3. " true.
1. Keratitis.
4. Kidney, congestion of.
4. " disease of.

5. Laryngismus stridulus.
1. Laryngitis, acute.
1. " chronic.
1. " œdematous.
3. " syphilitic.
1. Larynx, tumor of.
1. Leucoma.
4. Leucorrhœa, uterine.
4. " vaginal.
3. Lichen.
- " aestivus.
5. Lithiasis.
4. Liver, acute atrophy of.
- " cirrhosis of.
- " congestion of.
- " enlargement of.
- " fatty.
- " lardaceous.
5. Locomotor ataxia.
5. Lumbago.
2. Lung, congestion of.
- " œdema of.

- 3. Lupus erythematosus.
 - “ exedens.
 - “ non-exedens.
 - “ serpiginosus.
- 1. Lymphadenitis.
 - “ strumous.
 - “ traumatic.
- 1. Lymphangeitis.
- 1,5. Malformation.
- 5. Marasmus.
- 1,4. Mastitis.
 - 4. Mastodynia.
 - 5. Melæna neonatorum.
- 4,5. Meningitis.
 - 4,5. “ cerebro-spinal.
 - 5. “ infantum.
 - 5. “ spinal.
 - 5. “ tubercular.
- 4. Menses, absent.
 - “ delayed.
 - “ premature cessation of.
 - “ retained.
- 4. Menstruation, excessive.
 - “ painful.
 - “ premature.
 - “ suppressed.
 - “ supplementary.
 - “ vicarious.
- 4. Metralgia (uterine colic.)

- 4. Metritis.
 - 4. " acute.
 - 4. " chronic.
 - 4. " " cervical.
 - 4. " " corporeal.
 - 4. " hæmorrhagic.
- 4. Miscarriage.
- 5. Mollities ossium.
- 3. Molluscum.
- 3,5. Morbilli.
 - 1. Morbus coxarius.
 - 5. Myalgia.
 - 5. Myelitis.
 - 1. Myopia.
- 1. Nævus.
- 1. Necrosis.
- 4. Nephritis, acute.
 - 4. " chronic.
- 5. Neuralgia.
 - 5. " facial.
 - 5. " frontal (hemicrania.)
 - 5. " mesenterica (lead colic.)
 - 4. " ovarian.
 - 5. " sciatic.
 - 3. " testis.
- 1. Nipple, ulcerated.
- 3. Node.
- 5. Nostalgia.

- 1. Nyctalopia.
- 1. Nystagmus.

- 4. Obstruction, intestinal.
 - 1. " lachrymal.
 - 4,5. " of bile-ducts.
 - 4,5. " of vena portæ.
- 1. Edema.
 - 1. " of glottis.
 - 2. " " lung.
- 4. Esophagitis,
 - 1. Onychia.
 - 1. " maligna.
 - 3. " syphilitic.
 - 3. Onychomycosis.
 - 1. Onyxis.
 - 3. Ophthalmia, blennorrhagic
 - 1. " catarrhal.
 - 1. " chronic.
 - 3,5. " morbillosa.
 - 5. " neonatorum.
 - 1,5. " purulent.
 - 1. " pustular.
 - 3,5. " scarlatinosa.
 - 1,5. " strumous.
 - 1. " sympathetic.
 - 3,5. " tarsi.
 - 3. Oculitis, blennorrhagic.
 - 3. " strumous.
 - 3. " syphilitic.

- 1. Osteitis.
- 1. Osteo-myelitis.
- 1. Otitis, acute.
- 1. " chronic.
- 1,5. Otorrhoea.
- 4. Ovaritis, acute.
- 4. " chronic.
- 1. Ozoena.
- 3. " syphilitic.

- 1. Pannus.
- 4,5. Paralysis.
- 5. " agitans.
- 5. " diphtherica.
- 5. " facial.
- 4. " (hemiplegia.)
- 5. " infantile.
- 1,5. " local.
- 1,5. " (paraplegia.)
- 5. " saturnine.
- 1. " traumatic.
- 4. Parametritis.
- 3. Paraphymosis.
- 1,3. Paronychia.
- 4. Parturition.
- 1. Parulis.
- 5. Pectus carinatum.
- 3. Pemphigus.
- 3,5. " neonatorum.
- 3. " syphilitic.

- 4. Perforation of intestine.
- 1,3. " " palate.
 - 1. Periarthritis.
 - 2. Pericarditis.
 - 4. Perimetritis.
 - 1. Perineum, lacerated.
 - 1. Periostitis.
 - 1. " syphilitic.
 - 4. Peritonitis.
 - 4. " chronic.
 - 4. " limited.
 - 4. " pelvie.
 - 1. " traumatic.
 - 4. " tubercular.
 - 5. Pertussis.
- 1,5. Pharyngitis, acute.
- 1,5. " chronic.
 - 1. Phlebitis.
 - 4. Phlegmasia dolens.
 - 2. Phthisis pulmonalis.
 - 1. Phymosis.
 - 4. Physometra.
 - 3. Pityriasis.
 - " capitis.
 - " rubra.
 - 2. Pleurisy, acute.
 - 2. " chronic.
 - 2. Pleurodynia.
 - 2. Pneumonia.
 - 2. " chronic.

- 2. Pneumonia, lobar.
- 2,5. " lobular (broncho-pneumonia of children.)
- 2. Pneumothorax.
- 5. Poisoning, acute.
- 5. " chronic.
- 3. " local.
- 1. Polypus.
- 1. " nasi.
- 4. " uteri.
- 3. Posthitis.
- 1,5. Pott's disease.
- 1. Procidencia oculi.
- 3. " tubulorum testis (hernia testis.)
- 4. " uteri.
- 5. Progressive muscular atrophy.
- 1. Prostate, chronic enlargement of.
- 1,3. Prostatitis, acute.
- 1,3. " chronic.
- 3. Prurigo.
- 3. Pruritus.
- 3. " ani.
- 3. " vulvæ.
- 1. Pseudarthrosis,
- 3. Psoriasis.
- 1. Pterygium.
- 4,5. Ptosis.
- 5. Ptyalism.
- 2. Pulmonary extravasation.
- 3. Purpura.
- 3. " hæmorrhagica.

- 1,5. Pyæmia.
- 1,5. " chronic.
4. Pyelitis.
5. Rachitismus.
1. Ranula.
1. Rectum, prolapse of.
1. Resolutio faucium.
1. Retinitis.
5. Rheumatism, acute articular.
5. " chronic.
3. " gonorrhœal.
5. " muscular.
- 3,5. Roseola.
3. Rupia syphilitica.
1. Rupture of muscle.
1. " " ligamentum patellæ.
1. " " perineum.
1. " " tendon.
3. Sarcocèle.
3. " cystic.
3. " malignant.
3. " strumous.
3. " syphilitic.
- 1,3. Scabies.
- 3,5. Scleroma.
1. Sclerotitis.
5. Scorbutus.
5. Senectus.

1. Sinus.
5. Spasm, muscular.
3. Spermatorrhœa.
4. Spleen, congestion of.
4. " hypertrophy of (leucocythæmia.)
4. Splenitis.
1. Spina bifida.
1. Spinal cord, compression of.
1. " concussion of.
5. " softening of.
1. Spine, lateral curvature of.
1. " Pott's disease of.
1. Staphyloma corneæ.
1. " sclerotic.
1. Strabismus.
- 1,5. Stomatitis.
- 1,5. " gangrenous (canc. oris.)
- 1,5. " ulcerative.
- 1,5. " vesicular (thrush.)
1. Stremma.
1. Stricture of œsophagus.
1. " " rectum.
3. " " urethra.
- 3,5. Strophulus.
5. Struma.
1. Surditas.
1. Symblepharon.
1. Synechia, anterior.
1. " posterior.

1. Synovitis, acute.

- 1. " chronic.
- 1. " strumous.
- 1. " traumatic.

3. Syphilis, initial lesion of (hard chancre.)

- 3. " inguinal adenopathy (following hard chancre.)
- 3. " inherited.
- 3. " constitutional, acquired.
- 3. " (syphilide, macular.)
- 3. " (" papular.)
- 3. " (" pustular.)
- 3. " (" vesicular.)
- 3. " (" " circinate.)
- 3. " (" tubercular, grouped.)
- 3. " (" " disseminated.)
- 3. " (" " ulcerating.)
- 3. " (" " serpiginous.)
- 3. " (" " pustulo-crustaceous.)

5. Tabes mesenterica.

1. Talipes, calcaneo-valgus.

- 1. " calcaneus.
- 1. " equineo-varus.
- 1. " equineus.
- 1. " valgus.
- 1. " varus.

5. Tetanus.

- 1. Thecitis.
- 1. Thrombus.

- 3,5. Tinea decalvans.
 3,5. " favosa.
 3. " sycosis.
 3,5. " tonsurans.
 3,5. " versicolor.
 1. Tonsils, enlarged.
 1,5. Torticollis.
 5. " rheumatic.
 1. Trachoma.
 5. Tremor, mercurial.
 1. Trichiasis.
 5. Trichiniasis.
 5. Trismus nascentium.
 4. Tumor, abdominal.
 1. " cartilaginous.
 1. " encysted.
 1. " fatty.
 1. " fibro-cellular.
 1. " fibro-nucleated.
 1. " fibro-plastic.
 1. " fibro-vascular.
 1,4. " fibrous.
 1. " glandular.
 1. " myeloid.
 1. " (neuroma.)
 1. " osseous.
 4. " ovarian.
 1. " recurring fibroid.
 1. " sarcomatous.

1. Tumor, vascular.
 3. " " of meatus urinarius.
 4. Typhlitis.
-
1. Ulcer.
 1. " chronic.
 3. " eczematous.
 1. " hæmorrhagic.
 1. " indolent.
 1. " inflamed.
 1. " irritable.
 1. " of cornea.
 1. " of larynx.
 4. " of stomach.
 3. " rodent.
 1. " sloughing.
 1. " strumous
 1. " varicose.
 1. " weak.
 4. Ulceration of intestine.
 - 1,5. Ulitis (gingivitis.)
 1. Unguis involutus.
 1. Urine, extravasation of.
 5. " incontinence of.
 - 1,4. " retention of.
 4. " suppression of.
 - 3,5. Urticaria.
 1. Ustio.

- 4. Uterus, antelexion of.
- 4. " anteversion of.
- 4. " cauliflower excrescence of mouth of.
- 4. " disease of
- 4. " inversion of.
- 4. " prolapse of.
- 4. " retroflexion of.
- 4. " retroversion of.
- 4. " subinvolution of.
- 1. Uvula, elongated.

- 4. Vagina, imperforate.
- 4. " prolapse of.
- 4. Vaginismus.
- 4. Vaginitis.
- 3,5. Varicella,
 - 3. Varicocele.
- 3,5. Variola,
 - 3,5. " modificata.
 - 1. Varix.
 - 1. " aneurismal.
 - 3. Verruca.
- 3,5. Vitiligoidea.
 - 3. Vulvitis.

- 1. Wound, contused.
 - 1. " gunshot.
 - 1. " incised.
 - 1. " lacerated.
 - 1. " of abdomen, penetrating.

1. Wound of artery.

1. " of eye, penetrating.
1. " of joint, penetrating.
- 1, " of thorax, penetrating.
1. " poisoned.
1. " punctured.

New York Dispensary Standard Non-official Preparations.

TABLE FOR ADJUSTING DOSE TO AGE.

AGE...	Under 1 year.	2 years.	3 years.	4 years.	7 years.	14 years	21 years.
DOSE..	$\frac{1}{15}$ — $\frac{1}{12}$	$\frac{1}{8}$	$\frac{1}{6}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	1

LINIMENTA.

LIN. SAPONIS COMP.

Saponis Castil.....	ʒ x.
Ol. Origani.....	ʒ iv.
Alcohol.....	O. jss.
Aquæ.....	O. ivss

LIN. STRAMONII.

Ung. Stramonii.....	ʒ ij.
Liq. Plumb. Subac.....	ʒ j.
Ol. Lini.....	ʒ viij.

LIN. IODINII COMP.

Iodinii.....	gr. x.
Potass. Iodidi.....	ʒ ss.
Sodii Chlor.....	ʒ ij.
Aquæ.....	O. ij.

New York Dispensary Standard Non-official Preparations.

TABLE FOR ADJUSTING DOSE TO AGE.

AGE...	Under 1 year.	2 years.	3 years.	4 years.	7 years.	14 years	21 years.
DOSE..	$\frac{1}{15}$ — $\frac{1}{12}$	$\frac{1}{8}$	$\frac{1}{6}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	1

New York Dispensary Standard Non-official Preparations.

TABLE FOR ADJUSTING DOSE TO AGE.

AGE...	Under 1 year.	2 years.	3 years.	4 years.	7 years.	14 years.	21 years.
DOSE..	$\frac{1}{15}$ — $\frac{1}{12}$	$\frac{1}{8}$	$\frac{1}{6}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	1

PULVERES.

PULV. BISMUTH. ET OPII.

Bismuth. Subnitrat	gr. v*
Pulv. Opii.....	gr. j.
Pulv. Acaciæ.....	gr. x.

PULV. SENNÆ COMP.

Pulv. Sennæ,	
Potass. Bitartrat,	
Pulv. Sulphuris, āā.....	ʒ ij.
Pulv. Zingiberis.....	ʒ s.

PULV. ZINCI COMP.

Zinci Oxidi,	
Hyd. Chlo. Mit., āā.....	ʒ j.
Pulv. Amyli.....	ʒ ij.
(For external use.)	

PULV. OPII ALKALIN.

Pulv. Opii.....	gr. ss.
Sod. et Pot. Tart.....	ʒ j.
Potass. Bicarb.....	gr. x.

New York Dispensary Standard Non-official Preparations.

TABLE FOR ADJUSTING DOSE TO AGE.

AGE...	Under 1 year.	2 years.	3 years.	4 years.	7 years.	14 years.	21 years.
DOSE..	$\frac{1}{15}$ — $\frac{1}{12}$	$\frac{1}{8}$	$\frac{1}{6}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	1

New York Dispensary Standard Non-official Preparations.

TABLE FOR ADJUSTING DOSE TO AGE.

AGE...	Under 1 year.	2 years.	3 years.	4 years.	7 years.	14 years	21 years.
DOSE..	$\frac{1}{15}$ — $\frac{1}{12}$	$\frac{1}{8}$	$\frac{1}{6}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	1

LOTIONES.

LOT. EVAP.

Ammoniā Muriat.,	
Potass. Nitrāt., āā.....	℥ ij.
Alcohol	O.jss.
Aquæ.....	O.iv.

LOT. FERRI.

Ferri et Potass. Tart.....	℥ ss.
Aquæ.....	O.j.

LOT. FLAVA.

Hyd. Chlo. Corros.....	gr. j.
Liq. Calcis	℥ j.

LOT. NIGRA.

Hyd. Chlo. Mit.....	℥ ij.
Liq. Calcis	O. j.

LOT. RUBRA.

Zinci Sulph.....	gr. xlvij.
Sp. Lav. Comp.....	℥ j.
Aquæ.....	O.j.

LOT. PLUMBI ET OPII.

Liq. Plumb. Subac	℥ ij.
Tinct. Opii.....	℥ j.
Aquæ.....	O.j.

LOT. BORACIS.

Sodæ Biborat	gr. x.
Aquæ Camph.....	℥ j.

New York Dispensary Standard Non-official Preparations.

TABLE FOR ADJUSTING DOSE TO AGE.

AGE...	Under 1 year.	2 years.	3 years.	4 years.	7 years.	14 years	21 years.
DOSE..	$\frac{1}{15}$ — $\frac{1}{12}$	$\frac{1}{8}$	$\frac{1}{6}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	1

LOT. SOD. CHLORINAT.

Liq. Sod. Chlorin..... $\frac{3}{4}$ ss.Aquæ..... $\frac{3}{4}$ iijss.

LOT. ACIDI CARBOL.

Ac. Carbol. Cryst..... 3 ij.

Aquæ..... $\frac{3}{4}$ viij.

New York Dispensary Standard Non-official Preparations.

TABLE FOR ADJUSTING DOSE TO AGE.

AGE...	Under 1 year.	2 years.	3 years.	4 years.	7 years.	14 years.	21 years.
DOSE..	$\frac{1}{15}$ — $\frac{1}{12}$	$\frac{1}{8}$	$\frac{1}{6}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	1

PILULÆ.

PIL. ALOËS ET FERRI.

Ferri Sulph.,

Pulv. Aloës,

Ext. Gentian, āā. gr. 1½.

PIL. HYDRARG. PROTIODID.

Hydrarg. Protiodid. gr. ¼

Ext. Gentian.

Pulv. Glycyrrhiz, āā gr. j.

PIL. PLUMBI ET OPII.

Plumbi Acetat. gr. j.

Pulv. Opii. gr. ½

Pulv. Glycyrrhiz gr. ½

Syr. Simp. q. s.

PIL. TRIPLEX.

Pulv. Aloës,

Ext. Colocynth. Comp.,

Pil. Hydrarg., āā gr. j.

Syr. Simp q. s.

PIL. NUC. VOMIC. COMP.

Ext. Nuc. Vomic. gr. ss.

Pulv. Scammonii gr. j.

Pulv. Aloës,

Pulv. Rhei, āā gr. ¾

Alcohol q. s.

New York Dispensary Standard Non-official Preparations.

TABLE FOR ADJUSTING DOSE TO AGE.

AGE...	Under 1 year.	2 years.	3 years.	4 years.	7 years.	14 years	21 years.
DOSE..	$\frac{1}{15}$ — $\frac{1}{12}$	$\frac{1}{8}$	$\frac{1}{6}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	1

PIL. (DUPUYTREN.)

Hydrarg. Chlo. Corros.....	gr. $\frac{1}{8}$
Pulv. Guaiaci.....	gr. $2\frac{1}{2}$
Ext. Conii.....	gr. $\frac{5}{6}$

PIL PODOPHYLLIN. COMP.

Podophyllinæ.....	gr. ss.
Leptandrinæ.....	gr. j.
Ext. Taraxaci.....	q. s.

New York Dispensary Standard Non-official Preparations.

TABLE FOR ADJUSTING DOSE TO AGE.

AGE...	Under 1 year.	2 years.	3 years.	4 years.	7 years.	14 years	21 years.
DOSE..	$\frac{1}{15}$ — $\frac{1}{12}$	$\frac{1}{8}$	$\frac{1}{6}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	1

PIGMENTA.

FIG. ACACLÆ COMP.

Pulv. Acaciæ	℥ ii j.
Pulv. Tragacanth.....	℥ j.
Syr. Fuscii.....	℥ iv.
Aquæ Calidæ.....	℥ xij.

FIG. SAPONIS VIRIDIS.

Saponis Viridis,
Alcoholis, partes æquales.

FIG. SAPONIS VIRID. COMP.

Sapoms Viridis,
Ol. Cadini,
Alcoholis, partes æquales.

SOLUTIONES.

POTASS. IOD.....	gr. x—℥ j.
QUIN. SULPH.....	gr. ij—℥ j.
POTASS. BROMID.....	℥ ss—℥ j.
ZINC. SULPH.....	gr. ij—℥ j.
POTASS. CHLO.....	(ad sat.)

New York Dispensary Standard Non-official Preparations.

TABLE FOR ADJUSTING DOSE TO AGE.

AGE...	Under 1 year.	2 years.	3 years.	4 years.	7 years.	14 years.	21 years.
DOSE..	$\frac{1}{15}$ — $\frac{1}{12}$	$\frac{1}{8}$	$\frac{1}{6}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	1

New York Dispensary Standard Non-official Preparations.

TABLE FOR ADJUSTING DOSE TO AGE.

AGE...	Under 1 year.	2 years.	3 years.	4 years.	7 years.	14 years	21 years.
DOSE..	$\frac{1}{16}$ — $\frac{1}{12}$	$\frac{1}{8}$	$\frac{1}{6}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	1

GARGARISMATA.

GARG. ALUMINIS.

Aluminis.

Potass. Chlorat, āā..... ʒ j.

Aquæ..... ʒ ss.

GARG. ACID. TANNIC.

Acid. Tannic. ʒ ss

Glycerinæ..... ʒ ij.

Aquæ Camph..... ʒ vj.

UNGUENTA.

UNG. SULPH. ALKALIN, (HELMERICH.)

Sulphur. Sublim..... ʒ ij.

Potass. Carbonat..... ʒ j.

Adipis ʒ viij.

UNG. ACIDI CARBOL.

Ac. Carbol. Cryst..... ʒ ss.

Ung. Adipis ʒ j.

UNG. BALS. PERU.

Bals. Pern..... ʒ j.

Ung. Resinæ..... ʒ j.

New York Dispensary Standard Non-official Preparations.

TABLE FOR ADJUSTING DOSE TO AGE.

AGE...	Under 1 year.	2 years.	3 years.	4 years.	7 years.	14 years.	21 years.
DOSE..	$\frac{1}{15}$ — $\frac{1}{12}$	$\frac{1}{8}$	$\frac{1}{6}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	1

New York Dispensary Standard Non-official Preparations.

TABLE FOR ADJUSTING DOSE TO AGE.

AGE...	Under 1 year.	2 years.	3 years.	4 years.	7 years.	14 years	21 years.
DOSE..	$\frac{1}{16}$ — $\frac{1}{12}$	$\frac{1}{8}$	$\frac{1}{6}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	1

MISTURÆ.

MIST. POT. ET HYOSCY.		In each Tea- spoonful.	In each Table- spoonful.
Potass. Bicarb.	ʒ j.	7 grs.	27 grs.
Tinct. Hyosc.	ʒ ss.	3½ m.	15 m.
Aquæ.	O. ss.		
MIST. COPAIBÆ.			
Bals. Copaibæ.	ʒ iiij.	6 m.	22 m.
Liq. Potassæ.	ʒ iv.	7 m.	30 m.
Aqu. Anisi.	ʒ iiij.		
Syr. Simpl.	ʒ ij.		
MIST. OL. MORRHUÆ.			
Ol. Morrhuæ.	ʒ iiij.	25 m.	100 m.
Syr. Pruni Virg.,			
Liq. Calcis, āā.	ʒ j.	9 m.	34 m.
MIST. RHEI ET SODÆ.			
Pulv. Rhei,			
Sodæ Bicarb., āā.	ʒ ij.	1 gr.	4 gr.
Aq. Ment. Pip.	O. v.		
MIST. STOMACHIC.			
Sodæ Bicarb.	ʒ j.	1 gr.	4 gr.
Tinct. Cardamom. Comp.,			
Tinct. Gentian. Comp., āā.	ʒ ij.	2 m.	8 m.
Aq. Ment. Pip.	O. iiij.		

New York Dispensary Standard Non-official Preparations.

TABLE FOR ADJUSTING DOSE TO AGE.

AGE...	Under 1 year.	2 years.	3 years.	4 years.	7 years.	14 years.	21 years.
DOSE..	$\frac{1}{15}$ — $\frac{1}{12}$	$\frac{1}{8}$	$\frac{1}{6}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	1

MIST. COLCHICI.

Potass. Iodid.....	℥ij.	1½ gr.	5 gr.
Ext. Colchici Acet.....	gr. viij.	¼ gr.	1 gr.
Ext. Hyoseyami	gr. xvj.	½ gr.	2 gr.
Aquæ.....	℥ iv.		

MIST. DIURETIC.

Sp. Æth, Nit.....	℥ ss.	12 m.	48 m.
Liq. Ammon. Ac.,			
Infus. Buchu, āā	℥ j.	24 m.	96 m.

MIST. POT. ACETAT.

Pot. Acetat.....	℥ iij.	18 gr.	72 gr.
Vin. Colch. Rad.....	℥ ij.	12 m.	48 m.
Aqu. Menth. Pip.....	℥ iv.		

MIST. GLYCYRRHIZ.

Ext. Ipecac. Fl.....	℥ ss.	¼ m.	1 m.
Ext. Glycyrrhiz	℥ j.	4 gr.	15 gr.
Aqu. Camph.....	℥ xv.		

MIST. EXPECTOR.

(For children.)

Tr. Opii Camph... ..	℥ ij.	4 m.	16 m.
Ext. Ipecac. Fl.....	℥ j.	¼ m.	1 m.
Syr. Tolu.....	℥ xxviiij.		

MIST. EXPECT. (STOKES.)

Tinet. Opii Camph.....	℥ ij.	2½ m.	10 m.
Ammon. Carb.....	℥ j.	½ gr.	1½ gr.
Tinet. Scillæ.....	℥ ij.	2½ m.	10 m.
Syr. Tolu.....	℥ ss.		
Decoct. Senegæ.....	℥ v.	50 m.	200 m.

New York Dispensary Standard Non-official Preparations.

TABLE FOR ADJUSTING DOSE TO AGE.

AGE...	Under 1 year.	2 years.	3 years.	4 years.	7 years.	14 years.	21 years.
DOSE..	$\frac{1}{15}$ — $\frac{1}{12}$	$\frac{1}{8}$	$\frac{1}{6}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	1

MIST. RHEI ET OPII.

Tr. Opii Camph.,

Tr. Rhei Comp., āā..... ℥ ss. 15 m. 60 m.

Aqua..... ℥ j.

MIST. CRETÆ COMP.

Tr. Opii Camph.,

Tr. Catechu, āā..... ℥ ij. 4 m. 16 m.

Mist. Cretæ..... ℥ iijss.

MIST. FERRI ET QUINLÆ.

Tr. Ferri Chlor..... ℥ ij. 4 m. 16 m.

Quinæ Sulph..... gr.xvj. $\frac{1}{2}$ gr. 2 gr.

Aqua..... ℥ iv.

MIST. HYDRARG. BINIODID.

Hydrarg. Biniodid..... gr.j. 1-32 gr. $\frac{1}{8}$ gr.Potass. Iodidi..... ℥ ss. 7 $\frac{1}{2}$ gr. 30 gr.


Infus. Gent. Comp..... v ℥ i.

New York Dispensary Standard Non-official Preparations.

TABLE FOR ADJUSTING DOSE TO AGE.

AGE...	Under 1 year.	2 years.	3 years.	4 years.	7 years.	14 years.	21 years.
DOSE..	$\frac{1}{15}$ — $\frac{1}{12}$	$\frac{1}{8}$	$\frac{1}{6}$	$\frac{1}{4}$	$\frac{1}{3}$	$\frac{2}{3}$	1

SLOTE & JANES, STATIONERS, 93 FULTON STREET.





QVA N539n 1880

61860090R



NLM 05075760 7

NATIONAL LIBRARY OF MEDICINE